antibodies .- online.com





anti-NCKAP1L antibody (AA 1-100) (Cy5)



O	:	
Ove	r \/ I	$\Theta \backslash \Lambda /$
\circ	1 V I	\sim v v

Quantity:	100 μL	
Target:	NCKAP1L	
Binding Specificity:	AA 1-100	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NCKAP1L antibody is conjugated to Cy5	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human NCKAP1L/HEM1
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	NCKAP1L	
Alternative Name:	NCKAP1L/HEM1 (NCKAP1L Products)	
Background:	Synonyms: 4930568P13Rik, Al463083, HEM1, Hematopoietic protein 1, HEMATOPOIETIC	

PROTEIN HEM-1, Hemp1, Membrane associated protein hem1, Membrane-associated protein HEM-1, NCK associated protein 1 like, Nck-associated protein 1-like, NCKAP1L, NCKPL_HUMAN.

Background: HEM1 is a 1,127 amino acid single-pass membrane protein that localizes to the cytoplasmic side of the cell membrane. One of several members of the highly conserved HEM family of tissue-specific transmembrane proteins, HEM1 is expressed in cells of hematopoietic origin where it is thought to play an important role in oogenesis. The gene encoding HEM1 maps to human chromosome 12, which encodes over 1,100 genes and comprises approximately 4.5 % of the human genome. Chromosome 12 is associated with a variety of diseases and afflictions, including hypochondrogenesis, achondrogenesis, Kniest dysplasia, Noonan syndrome and Trisomy 12p, which causes facial developmental defects and seizure disorders.

Gene ID: 3071

Pathways: Regulation of Actin Filament Polymerization

Application Details

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

	lI	1:
-	เวทก	111111
	land	HHU

Expiry Date:

12 months