antibodies - online.com







anti-OVOL2 antibody (AA 75-180) (Cy5)



()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	100 μL
Target:	OVOL2
Binding Specificity:	AA 75-180
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OVOL2 antibody is conjugated to Cy5
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human OVOL2/ZNF339	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Cow,Pig	
Purification:	Purified by Protein A.	

Target Details

Target:	OVOL2
Alternative Name:	OVOL2/ZNF339 (OVOL2 Products)

Target Details

rarget betails	
Background:	Synonyms: bA504H3.3, EUROIMAGE566589, hOvo 2, hOvo2, Ovo like 2 Drosophila, Ovo like 2,
	OVOL 2, Transcription factor Ovo like 2, Zinc finger protein 339, ZNF 339, ZNF339,
	OVOL2_HUMAN.
	Background: The Ovo family of zinc-finger transcription factors encode evolutionarily conserved
	genes including those from Caenorhabditis elegans, Drosophila melanogaster, mouse and
	human. Members of the Ovo family include Ovol1 and Ovol2. Ovol1 acts as a transcriptional
	repressor by interacting with key developmental signaling pathways such as Wnt and TGF-
	/BMP. Specifically, Ovol1 represses c-Myc and Id2 genes and establishes a balance between
	proliferation and differentiation of progenitor cells. Deletion of Ovol1 in mice leads to germ cell
	degeneration and defective sperm production in adult males. Ovol1 has also been shown to
	repress itself as well as Ovol2, which is thought to regulate neural development and vascular
	angiogenesis during embryogenesis.
Gene ID:	58495
Pathways:	Tube Formation
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

-20 °C

Storage:

Storage Comment:

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months