

## Datasheet for ABIN1706909 anti-HES7 antibody (AA 21-100) (Cy5.5)



()	ve	r\/i	۱۸/
$\cup$	V C	1 / 1	 v v

Background:

Quantity:	100 μL
Target:	HES7
Binding Specificity:	AA 21-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HES7 antibody is conjugated to Cy5.5
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded
	Sections) (IF (p))
Product Details	
Product Details Immunogen:	KLH conjugated synthetic peptide derived from human HES7
	KLH conjugated synthetic peptide derived from human HES7
Immunogen:	
Immunogen: Isotype:	IgG
Immunogen: Isotype: Predicted Reactivity: Purification:	IgG Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse
Immunogen: Isotype: Predicted Reactivity:	IgG Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse
Immunogen: Isotype: Predicted Reactivity: Purification:	IgG Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse

Synonyms: bHLH factor Hes7, bHLHb37, Class B basic helix loop helix protein 37, Class B basic

helix-loop-helix protein 37, hairy and enhancer of split 7, Hes7, HES7_HUMAN, hHes7, SCD04,
Transcription factor HES 7, Transcription factor HES-7.

Background: HES7 is a 225 amino acid transcriptional repressor protein. Localized to the nucleus, HES7 represses transcription of N box- and E box-containing promoters. HES7, along with family member HES1, is thought to cooperatively regulate somite formation in the presomitic mesoderm. HES7 may also be essential for coordinated somite segmentation by acting as a segmentation clock. HES7 contains one basic helix-loop-helix (bHLH) domain and one Orange domain. Mutations in HES7 have been found to cause spondylocostal dysostosis, an autosomal recessive disorder characterized by deformities of the chest and spine.

Gene ID:

84667

## **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	