antibodies -online.com





Datasheet for ABIN1707447

anti-LTK antibody (AA 41-140) (Cy7)



Overview

| Quantity: | 100 μL |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Target: | LTK |
| Binding Specificity: | AA 41-140 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This LTK antibody is conjugated to Cy7 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human LTK |
|-----------------------|---------------------------------------------------------|
| Isotype: | IgG |
| Predicted Reactivity: | Human,Mouse,Horse,Rabbit |
| Purification: | Purified by Protein A. |

Target Details

| Target: | LTK |
|-------------------|------------------------------------------------------------------------------------------|
| Alternative Name: | Ltk (LTK Products) |
| Background: | Synonyms: ALK, Anaplastic lymphoma kinase, Leukocyte receptor tyrosine kinase, Leukocyte |

| tyrosine kinase, Leukocyte tyrosine kinase receptor, Leukocyte tyrosine kinase receptor, L | ₋tk, |
|--------------------------------------------------------------------------------------------|------|
| LTK_HUMAN, Protein tyrosine kinase 1, TYK 1, TYK1. | |

Background: LTK is a member of the ros/insulin receptor family of tyrosine kinases. Tyrosine-specific phosphorylation of proteins is a key to the control of diverse pathways leading to cell growth and differentiation. Multiple transcript variants encoding different isoforms have been found for this gene.

Gene ID: 4058

Pathways: RTK Signaling

Application Details

Application Notes: IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

| Format: | Liquid |
|--------------------|--------------------------------------------------------------------------------------------------------------------|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |