antibodies -online.com





anti-IQSEC2 antibody (AA 851-950) (Cy7)



Overview

Quantity:	100 μL
Target:	IQSEC2
Binding Specificity:	AA 851-950
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IQSEC2 antibody is conjugated to Cy7
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human IQSEC2
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig
Purification:	Purified by Protein A.

Target Details

Target:	IQSEC2
Alternative Name:	IQSEC2 (IQSEC2 Products)

Target Details

Background:

Synonyms: BRAG1, IQ mot and SEC7 domain-containing protein 2, IQEC2_HUMAN, Iqsec2, KIAA0522, mKIAA0522, MRX1, RP11-258C19.1.

Background: IQSEC2 is a 1,478 amino acid protein that belongs to the BRAG family and contains one IQ domain, one PH domain and a SEC7 domain. Localizing to the cytoplasm, IQSEC2 is expressed in brain, kidney and small intestine, with weaker levels of expression in placenta, pancreas, ovary, prostate and liver. IQSEC2 is a component of the postsynaptic density at excitatory synapses, and interacts with ARF family members as a guanine nucleotide exchange factor. Through the activation of ARF substrates, IQSEC2 may play a crucial role in cytoskeletal and synaptic organization. The gene encoding IQSEC2 maps to the human X chromosome. Defects to the IQSEC2 gene have been linked to mental retardation X-linked type 1 (MRX1), a condition characterized by decreased intellectual function. IQSEC2 exists as three isoforms due to alternative splicing events.

Application Details

Λ	nlination	Matan
ΑD	plication	notes.

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months