antibodies -online.com





anti-PRG2 antibody (AA 51-150) (Cy7)



| | Go to Product page | 3 |
|--|--------------------|---|
| | | |

| () | 1/0 | r\ /1 | 014 | |
|-----|-----|-------|-----|---|
| () | ve | I V I | -v | V |
| | | | | |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | PRG2 |
| Binding Specificity: | AA 51-150 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This PRG2 antibody is conjugated to Cy7 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human PRG2 | |
|-----------------------|--|--|
| Isotype: | IgG | |
| Predicted Reactivity: | Human | |
| Purification: | Purified by Protein A. | |

Target Details

| Target: | PRG2 |
|-------------------|--|
| Alternative Name: | PRG2 (PRG2 Products) |
| Background: | Synonyms: BMPG, EMBP, Eosinophil granule major basic protein, Eosinophil major basic |

protein, MBP, MBP1, Natural killer cell activator, Pregnancy-associated major basic protein, PRG 2, PRG2_HUMAN, Proteoglycan 2, Proteoglycan 2 bone marrow, Proteoglycan 2 preproprotein.

Background: The protein encoded by this gene is the predominant constituent of the crystalline core of the eosinophil granule. High levels of the proform of this protein are also present in placenta and pregnancy serum, where it exists as a complex with several other proteins including pregnancy-associated plasma protein A (PAPPA), angiotensinogen (AGT), and C3dg. This protein may be involved in antiparasitic defense mechanisms as a cytotoxin and helminthotoxin, and in immune hypersensitivity reactions. It is directly implicated in epithelial cell damage, exfoliation, and bronchospasm in allergic diseases. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Aug 2011].

Gene ID: 5553

UniProt: P13727

Application Details

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |

| | _ | |
|---|------|--------|
| - | II | 1: |
| - | -222 | una |
| - | Hand | 1111() |
| | | |

Expiry Date:

12 months