

Datasheet for ABIN1707998 anti-APOO antibody (AA 101-198) (Cy7)



Go to Product page

Ove	rvie	W

Quantity: 100 µL

Target: APO0

Binding Specificity: AA 101-198

Reactivity: Mouse, Rat

Host: Rabbit

Clonality: Polyclonal

Conjugate: This APOO antibody is conjugated to Cy7

Purified by Protein A.

Application: Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence

(Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ApoO/Apolipoprotein O
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit

Target Details

Purification:

Target: APOO

Alternative Name: Apolipoprotein O (APOO Products)

Target Details

Expiry Date:

rarger betane	
Background:	Synonyms: Apo0, 0610008C08Rik, 1110019003Rik, Apolipoprotein O, APO0, APO0_HUMAN,
	FAM121B, Family with sequence similarity 121B, MGC130105, MGC130106, MGC4825, My025,
	MY025, OTTHUMP00000023073, Protein FAM121B, RP23-272D10.2.
	Background: Apolipoproteins are a family of fatty-acid binding proteins that transport fat
	through the bloodstream in the form of lipoproteins. ApoO (Apolipoprotein O), also known as
	FAM121B or My025, is a 198 amino acid single-pass membrane protein that belongs to the
	apolipoprotein family. Expressed ubiquitously with particularly high expression in diabetic heart
	tissue, apoO functions to promote the transport of cholesterol from macrophage cells and may
	be involved in regulatory mechanisms that protect lipid accumulation within the heart. ApoO is
	present in high density lipoproteins (HDLs) and low density lipoproteins (LDLs) and is secreted
	by an MTP (microsomal triglyceride transfer protein)-dependent mechanism. Two isoforms of
	apoO exist due to alternative splicing events.
Gene ID:	79135
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
E i.m Dt	10

12 months