Datasheet for ABIN1708037 anti-DOCK4 antibody (AA 1001-1100) (Cy7)

antibodies .-online.com



\sim		
()\)	$\alpha r v$	iew
Οv		10,00

Quantity:	100 µL
Target:	DOCK4
Binding Specificity:	AA 1001-1100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DOCK4 antibody is conjugated to Cy7
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DOCK4
Isotype:	lgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	DOCK4
Alternative Name:	DOCK4 (DOCK4 Products)
Background:	Synonyms: Dedicator of cytokinesis protein 4, Dock4, DOCK4_HUMAN, KIAA0716.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1708037 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	Background: DOCK 4 is a cytoplasmic peripheral membrane protein that belongs to the DOCK	
	family of cytokinesis-regulating proteins. Expressed ubiquitously with highest expression in	
	prostate, ovary and skeletal muscle, DOCK 4 functions as a guanine nucleotide exchange factor	
	(GEF) that activates the small GTPase Rap 1 and, via this activation, plays a role in the	
	regulation of adherens junctions between cells. Similar to other DOCK family members, DOCK 4	
	contains an N-terminal SH3 domain, a C-terminal proline-rich region and two internal DOCK	
	homology regions designated DHR1 and DHR2. Defects in the gene encoding DOCK 4 result in	
	the inactivation of Rap 1 and are, thus, implicated in the pathogenesis of various cancers such	
	as ovarian, prostate, glioma and colorectal carcinomas. Four isoforms of DOCK 4 are	
	expressed due to alternative splicing events.	
Gene ID:	9732	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 µg/µL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN1708037 | 03/07/2024 | Copyright antibodies-online. All rights reserved.