antibodies .- online.com







anti-CLP1 antibody (AA 1-100) (Cy7)



| \sim | | | | |
|--------|-----------|------|----|---|
| | $ V \cap$ | r\/I | 19 | ٨ |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | CLP1 |
| Binding Specificity: | AA 1-100 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CLP1 antibody is conjugated to Cy7 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human HEAB |
|-----------------------|--|
| Isotype: | IgG |
| Predicted Reactivity: | Human,Mouse,Rat,Cow,Horse,Rabbit |
| Purification: | Purified by Protein A. |

Target Details

| Target: | CLP1 |
|-------------------|--|
| Alternative Name: | Heab (CLP1 Products) |
| Background: | Synonyms: ATP/GTP binding protein, CLP 1, clp1, CLP1 cleavage and polyadenylation factor I |

| subunit homolog, CLP1, cleavage and polyadenylation factor I subunit, homolog S. cerevisiae, |
|--|
| CLP1, yeast, homolog of, CLP1_HUMAN, hClp1, Homolog of yeast CFIA subunit Clp1p, |
| Polynucleotide kinase Clp1, Pre mRNA cleavage complex II protein Clp1, Pre-mRNA cleavage |
| complex II protein Clp1. |

Background: HEAB is a 425 amino acid nuclear protein that belongs to the Clp1 family. Utilizing magnesium, manganese or nickel as cofactors, HEAB participates in the phosphorylation of the 5'-hydroxyl groups of double- and single- stranded RNA and DNA. HEAB is a member of the tRNA splicing endonuclease complex, in conjunction with TSEN2, TSEN15, TSEN34 and TSEN54, and is also a member of the pre-mRNA cleavage complex II. The gene encoding HEAB maps to human chromosome 11q12.1 and mouse chromosome 2 D, mutations to this gene may lead to a reduced pre-mRNA cleavage activity. HEAB exists as two isoforms due to alternative splicing events.

|--|

Pathways: Ribonucleoprotein Complex Subunit Organization

Application Details

| Application Notes: | IF(IHC-P) 1:50-200 |
|--------------------|--------------------|
| | IF(IHC-F) 1:50-200 |
| | IF(ICC) 1:50-200 |

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |

| \vdash | land | lına |
|----------|-------|------|
| | iaria | шц |

Expiry Date:

12 months