# antibodies - online.com







# anti-CDC5L antibody (AA 651-750) (Cy7)



$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL	
Target:	CDC5L	
Binding Specificity:	AA 651-750	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CDC5L antibody is conjugated to Cy7	
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human CDC5L
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

## **Target Details**

Target:	CDC5L
Alternative Name:	Cdc5l (CDC5L Products)

## **Target Details**

· ·		
Background:	Synonyms: CDC5, CEF1, PCDC5RP, CDC5-LIKE, dJ319D22.1, Cell division cycle 5-like protein,	
	Cdc5-like protein, Pombe cdc5-related protein, CDC5L, KIAA0432	
	Background: DNA-binding protein involved in cell cycle control. May act as a transcription	
	activator. Component of the PRP19-CDC5L complex that forms an integral part of the	
	spliceosome and is required for activating pre-mRNA splicing. The PRP19-CDC5L complex may	
	also play a role in the response to DNA damage (DDR).	
Gene ID:	988	
UniProt:	Q99459	
Pathways:	Activation of Innate immune Response, Chromatin Binding	
Application Details		
Application Notes:	FCM 1:20-100	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	