# antibodies .- online.com





# Datasheet for ABIN1709069

# anti-Apolipoprotein L 5 antibody (AA 301-400) (FITC)



| / N    | 11/0  | K /  | $\sim$ | A /         |
|--------|-------|------|--------|-------------|
|        | ve    | 1 \/ | ı⊢۱    | $\Lambda I$ |
| $\sim$ | ' V C | 1 V  |        | v v         |

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | Apolipoprotein L 5 (APOL5)   |
| Binding Specificity: | AA 301-400   |
| Reactivity:          | Human  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This Apolipoprotein L 5 antibody is conjugated to FITC   |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

#### **Product Details**

| Immunogen:            | KLH conjugated synthetic peptide derived from human APOL5/Apolipoprotein L5 |
|-----------------------|---|
| Isotype:              | IgG   |
| Predicted Reactivity: | Human   |
| Purification:         | Purified by Protein A.  |

## **Target Details**

| Target:           | Apolipoprotein L 5 (APOL5)   |
|-------------------|--|
| Alternative Name: | APOL5/Apolipoprotein L5 (APOL5 Products)                                       |
| Background:       | Synonyms: APOL 5, APOL V, APOL5, Apolipoprotein L, Apolipoprotein L V, apoL-V, |

| Apolipoprotein L 5, APOLV, OTTHUMP00000028773, APOL5_HUMAN. |  |
|---|--|
|   |  |

Background: The apolipoprotein L gene family maps to a region on chromosome 22 and encodes six highly homologous proteins designated apoL-I, apoL-II, apoL-III, apoL-IV, apoL-V and apoL-VI, all of which function as components of plasma lipoproteins. ApoL-V (apolipoprotein L-V), also known as APOL5, is a 433 amino acid protein that localizes to the cytoplasm and belongs to the apolipoprotein L family. Expressed in a variety of tissues including testis, stomach, uterus and skeletal muscle, apoL-V is thought to affect the movement of lipids in the cytoplasm and may allow the binding of lipids to organelles. Like other members of the apolipoprotein L family, apoL-V is thought to be involved in the development of schizophrenia.

Gene ID:

80831

## **Application Details**

| Application Notes: | IF(IHC-P) 1:50-200 |
|--------------------|--------------------|
|                    |                    |

IF(IHC-F) 1:50-200 IF(ICC) 1:50-200

Restrictions:

For Research Use only

#### Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 1 μg/μL  |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.         |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage:           | -20 °C   |
| Storage Comment:   | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.                                  |
| Expiry Date:       | 12 months  |