# antibodies -online.com







## anti-SDC3 antibody (FITC)



( )	11/0	K\ /	iew	1
	$\cup$	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	SDC3
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SDC3 antibody is conjugated to FITC
Application:	Western Blotting (WB)

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Syndecan 3	
Isotype:	IgG	
Predicted Reactivity: Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Horse, Chicken, Rabbit		
Purification:	Purified by Protein A.	

### **Target Details**

Target:	SDC3
Alternative Name:	Syndecan 3 (SDC3 Products)
Background:	Synonyms: N-syndecan, Sdc3, SDC3_HUMAN, SDCN, SYND3, syndecan proteoglycan 3,
	Syndecan-3.
	Background: Syndecan 3 is a belongs to the syndecan proteoglycan family. It may play a role in
	the organization of cell shape by affecting the actin cytoskeleton, possibly by transferring

#### **Target Details**

Expiry Date:

12 months

rarget Details	
	signals from the cell surface in a sugar-dependent mechanism. Allelic variants of this gene
	have been associated with obesity.
Gene ID:	9672
Pathways:	Glycosaminoglycan Metabolic Process
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.