



[Go to Product page](#)

Datasheet for ABIN1709297

anti-Acetyl-CoA Carboxylase beta antibody (pSer220) (FITC)

Overview

Quantity:	100 µL
Target:	Acetyl-CoA Carboxylase beta (ACACB)
Binding Specificity:	pSer220
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Acetyl-CoA Carboxylase beta antibody is conjugated to FITC
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))

Product Details

Immunogen:	KLH conjugated synthetic phosphopeptide derived from human Acetyl Coenzyme A Carboxylase beta around the phosphorylation site of Ser220
Isotype:	IgG
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target:	Acetyl-CoA Carboxylase beta (ACACB)
Alternative Name:	Acetyl Coenzyme A Carboxylase beta (ACACB Products)

Target Details

Background: Synonyms: Acetyl Coenzyme A Carboxylase beta phospho S220, Acetyl Coenzyme A Carboxylase beta phospho Ser2210 p-Acetyl Coenzyme A Carboxylase beta phospho S220, ACACB_HUMAN

Background: Acetyl-CoA carboxylase (ACC) is a complex multifunctional enzyme system. ACC is a biotin-containing enzyme which catalyzes the carboxylation of acetyl-CoA to malonyl-CoA, the rate-limiting step in fatty acid synthesis. There are two ACC forms, alpha and beta, encoded by two different genes. ACC-alpha is highly enriched in lipogenic tissues. The enzyme is under long term control at the transcriptional and translational levels and under short term regulation by the phosphorylation/dephosphorylation of targeted serine residues and by allosteric transformation by citrate or palmitoyl-CoA. Multiple alternatively spliced transcript variants divergent in the 5' sequence and encoding distinct isoforms have been found for this gene. [provided by RefSeq, Jul 2008].

UniProt: [O00763](#)

Pathways: [AMPK Signaling](#), [Ribonucleoside Biosynthetic Process](#)

Application Details

Application Notes: IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Handling

Expiry Date: 12 months