



[Go to Product page](#)

Datasheet for ABIN1709495  
**anti-FXYD6 antibody (AA 15-75) (FITC)**

### Overview

Quantity:	100 µL
Target:	FXYD6
Binding Specificity:	AA 15-75
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FXYD6 antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FXYD6
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat
Purification:	Purified by Protein A.

### Target Details

Target:	FXYD6
Alternative Name:	FXYD6 ( <a href="#">FXYD6 Products</a> )
Background:	Synonyms: FXYD domain containing ion transport regulator 6, FXYD domain containing ion

## Target Details

---

transport regulator 6 precursor, Phosphohippolin, UNQ521/PRO1056, FXVD6\_HUMAN.

Background: The mammalian FXVD family maintains Na<sup>+</sup> and K<sup>+</sup> gradients between the intracellular and extracellular milieus of cells in processes such as renal Na<sup>+</sup>-reabsorption, muscle contraction and neuronal excitability. FXVDs are single-span membrane proteins that share a 35 amino acid signature domain, beginning with the sequence PFXVD and containing seven invariant and six conserved amino acids. Members of the FXVD family include FXVD1 (PLM, phospholemman), FXVD2 (the g subunit of the Na<sup>+</sup>/K<sup>+</sup>-ATPase), FXVD3 (Mat8, mammary tumor protein), FXVD4 (CHIF) and FXVD5 (RIC). FXVD6 is expressed in various epithelial cells bordering the endolymph space and in the auditory neurons. FXVD6 co-localizes with Na<sup>+</sup>/K<sup>+</sup>-ATPase in the stria vascularis and can be co-immunoprecipitated with Na<sup>+</sup>/K<sup>+</sup>-ATPase. After expression, FXVD6 associates with Na<sup>+</sup>/K<sup>+</sup>-ATPase alpha1-beta1 and alpha1-beta2 isozymes, which are preferentially expressed in different regions of the inner ear and also with gastric and non-gastric H<sup>+</sup>/K<sup>+</sup>-ATPase.

---

Gene ID: 53826

## Application Details

---

Application Notes: IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

---

Concentration: 1 µg/µL

---

Buffer: Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

---

Preservative: ProClin

---

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

---

Storage: -20 °C

---

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

---

Expiry Date: 12 months