



[Go to Product page](#)

Datasheet for ABIN1710087  
**anti-CLP1 antibody (AA 1-100) (FITC)**

### Overview

Quantity:	100 µL
Target:	CLP1
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CLP1 antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human HEAB
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Cow,Horse,Rabbit
Purification:	Purified by Protein A.

### Target Details

Target:	CLP1
Alternative Name:	Heab ( <a href="#">CLP1 Products</a> )
Background:	Synonyms: ATP/GTP binding protein, CLP 1, clp1, CLP1 cleavage and polyadenylation factor I

## Target Details

---

subunit homolog, CLP1, cleavage and polyadenylation factor I subunit, homolog *S. cerevisiae*, CLP1, yeast, homolog of, CLP1\_HUMAN, hClp1, Homolog of yeast CFIA subunit Clp1p, Polynucleotide kinase Clp1, Pre mRNA cleavage complex II protein Clp1, Pre-mRNA cleavage complex II protein Clp1.

Background: HEAB is a 425 amino acid nuclear protein that belongs to the Clp1 family. Utilizing magnesium, manganese or nickel as cofactors, HEAB participates in the phosphorylation of the 5'-hydroxyl groups of double- and single- stranded RNA and DNA. HEAB is a member of the tRNA splicing endonuclease complex, in conjunction with TSEN2, TSEN15, TSEN34 and TSEN54, and is also a member of the pre-mRNA cleavage complex II. The gene encoding HEAB maps to human chromosome 11q12.1 and mouse chromosome 2 D, mutations to this gene may lead to a reduced pre-mRNA cleavage activity. HEAB exists as two isoforms due to alternative splicing events.

---

Gene ID: 10978

Pathways: [Ribonucleoprotein Complex Subunit Organization](#)

## Application Details

---

Application Notes: IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

---

Concentration: 1 µg/µL

---

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

---

Preservative: ProClin

---

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

---

Storage: -20 °C

---

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

---

## Handling

---

Expiry Date: 12 months