

## Datasheet for ABIN1710148 anti-FPGT antibody (AA 251-350) (FITC)



_				
()	ve.	rv/	101	Λ

Overview		
Quantity:	100 μL	
Target:	FPGT	
Binding Specificity:	AA 251-350	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FPGT antibody is conjugated to FITC	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human FPGT	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Dog	
Purification:	Purified by Protein A.	
Target Details		
Target:	FPGT	
Alternative Name:	FPGT (FPGT Products)	
Background:	Synonyms: FPGT, FPGT_HUMAN, Fucose 1 phosphate guanyltransferase, Fucose 1 phosphate	

guanylyltransferase, Fucose-1-phosphate guanylyltransferase, GDP beta L fucose pyrophosphorylase, GDP L fucose diphosphorylase, GDP L fucose pyrophosphorylase, GDP-L-fucose pyrophosphorylase, GFPP.

Background: Guanylyltransferase enzymes transfer one molecule of GTP to another molecule and also function in the transfer of guanosine nucleotides to sugar molecules. The carbohydrate moieties that are generated are covalently attached to cell surfaces and are necessary to ensure a surface contour that satisfies a variety of physiological roles. L-fucose is an important sugar in complex carbohydrates that is frequently found on plant and mammalian N-linked glycans. FPGT (Fucose-1-phosphate guanylyltransferase), also known as GFPP (GDP-L-fucose pyrophosphorylase), is a 594 amino acid cytoplasmic protein that catalyzes the formation of GDP-L-fucose from L-fucose-1-phosphate and GTP. FPGT functions to reutilize the L-fucose that is produced uopn glycoprotein and glycolipid turnover.

Gene ID:

8790

## **Application Details**

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200 IF(ICC) 1:50-200

Restrictions:

For Research Use only

## Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	