# antibodies -online.com





## anti-FREM1 antibody (AA 1201-1300) (FITC)



( )	1/0	r\ / I	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	FREM1
Binding Specificity:	AA 1201-1300
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FREM1 antibody is conjugated to FITC
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human FREM1	
Isotype:	IgG	
Cross-Reactivity:	Rat	
Predicted Reactivity:	Human,Mouse,Dog,Horse	
Purification:	Purified by Protein A.	

## **Target Details**

Target:	FREM1
Alternative Name:	FREM1 (FREM1 Products)

#### **Target Details**

Synonyms: BC037594, BNAR, C9orf143, C9orf145, C9orf154, D430009N09, D630008K06, FLJ25461, FRAS1-related extracellular matrix protein 1, FREM 1, FREM1, FREM1\_HUMAN, Heb, MOTA, Protein QBRICK, QBRICK, RGD1306981, RP11-265B7.2, RP23-410K19.1, TILRR.

Background: FREM1 is a 2,179 amino acid protein that contains one C-type lectin domain, one Calx-beta domain and twelve CSPG repeats. Localized to the basement membrane of embryonic epidermal cells and secreted into extracellular space, FREM1 functions as an extracellular matrix protein that is essential for epidermal adhesion during embryogenesis and may also participate in epidermal differentiation. FREM1 exists as multiple alternatively spliced isoforms and is encoded by a gene which maps to human chromosome 9. Chromosome 9 contains 145 million base pairs and comprises 4 % of the human genome, encoding nearly 900 genes. Hereditary hemorrhagic telangiectasia, which is characterized by harmful vascular defects, and Familial dysautonomia, are both associated with chromosome 9. Notably, chromosome 9 encompasses the largest interferon family gene cluster.

Gene ID:

158326

## **Application Details**

A I		
Δnnl	ication	Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months