
antibodies -online.com







()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	ALKBH1
Binding Specificity:	AA 1-100
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ALKBH1 antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ABH1/ALKB	
Isotype:	IgG	
Cross-Reactivity:	Mouse, Rat	
Predicted Reactivity:	Human,Dog,Cow,Sheep,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	ALKBH1
Alternative Name:	ABH1/ALKB (ALKBH1 Products)

Target Details

Storage Comment:

Background:	Synonyms: ABH, ABH1, alkB, AlkB, alkylation repair homolog 1 E. coli, ALKB1_HUMAN, ALKBH,
	ALKBH1, Alkylated DNA repair protein alkB homolog 1, Alkylation repair homolog 1, Alkylation
	repair, alkB homolog, Alpha-ketoglutarate-dependent dioxygenase ABH1, DNA lyase ABH1,
	hABH.
	Background: ALKB protects DNA and RNA against damage from methylating compounds from
	the environment by directly reversing 1-methyladenine (1-meA) and 3-methylcytosine (3-meC)
	cytotoxic alkylation lesions in DNA and RNA. The enzymes act by oxidative demethylation,
	utilizing ferrous iron and alpha-ketoglutarate as cofactors, 2-oxoglutarate as a co-substrate, and
	molecular oxygen as the oxidizing agent. Deficiencies in DNA and RNA repair in mammals are
	associated with cancer, neurological disease and developmental defects. ALKB plays a role in
	resistance to anti-cancer drugs which attempt to damage tumor DNA. Escherichia coli ALKB
	protein belongs to the superfamily of 2-oxoglutarate- and iron(II)-dependent oxygenases.
Gene ID:	8846
Pathways:	DNA Damage Repair
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

1	1 11	١٠
\vdash	land	∥n∩
	ıarıa	

Expiry Date:

12 months