



[Go to Product page](#)

Datasheet for ABIN1710466  
**anti-PRPF40A antibody (AA 851-957) (FITC)**

### Overview

Quantity:	100 µL
Target:	PRPF40A
Binding Specificity:	AA 851-957
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PRPF40A antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FNBP3
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

### Target Details

Target:	PRPF40A
Alternative Name:	FNBP3 ( <a href="#">PRPF40A Products</a> )

## Target Details

---

**Background:** Synonyms: Fas ligand associated factor 1, Fas ligand-associated factor 1, FBP 11, FBP11, FLAF 1, FLAF1, FNBP 3, Formin binding protein 11, Formin binding protein 3, Formin-binding protein 11, Formin-binding protein 3, HIP-10, HIP10, Huntingtin interacting protein A, Huntingtin interacting protein HYPA, Huntingtin yeast partner A, Huntingtin-interacting protein 10, Huntingtin-interacting protein A, HYPA, NY REN 6, NY REN 6 antigen, PR40A\_HUMAN, Pre mRNA processing factor 40 homolog A, Pre-mRNA-processing factor 40 homolog A, PRP40 pre mRNA processing factor 40 homolog A S cerevisiae, PRP40 pre mRNA processing factor 40 homolog A yeast, PRP40 pre mRNA processing factor 40 homolog A, PRPF 40A, PRPF40A, Renal carcinoma antigen NY-REN-6.

**Background:** Fas ligand associated factor 1, Fas ligand-associated factor 1, FBP 11, FBP11, FLAF 1, FLAF1, FNBP 3, Formin binding protein 11, Formin binding protein 3, Formin-binding protein 11, Formin-binding protein 3, HIP-10, HIP10, Huntingtin interacting protein A, Huntingtin interacting protein HYPA, Huntingtin yeast partner A, Huntingtin-interacting protein 10, Huntingtin-interacting protein A, HYPA, NY REN 6, NY REN 6 antigen, PR40A\_HUMAN, Pre mRNA processing factor 40 homolog A, Pre-mRNA-processing factor 40 homolog A, PRP40 pre mRNA processing factor 40 homolog A (S cerevisiae), PRP40 pre mRNA processing factor 40 homolog A (yeast), PRP40 pre mRNA processing factor 40 homolog A, PRPF 40A, PRPF40A, Renal carcinoma antigen NY-REN-6.

---

**Gene ID:** 55660

## Application Details

---

**Application Notes:** IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

---

**Restrictions:** For Research Use only

## Handling

---

**Format:** Liquid

---

**Concentration:** 1 µg/µL

---

**Buffer:** Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

---

**Preservative:** ProClin

---

**Precaution of Use:** This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

---

## Handling

---

handled by trained staff only.

---

Storage: -20 °C

---

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

---

Expiry Date: 12 months