

[Go to Product page](#)

Datasheet for ABIN1710697

anti-DAZ4 antibody (AA 51-150) (FITC)

Overview

Quantity:	100 µL
Target:	DAZ4
Binding Specificity:	AA 51-150
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DAZ4 antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DAZ4
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	DAZ4
Alternative Name:	DAZ4 (DAZ4 Products)

Target Details

Background:	<p>Synonyms: DAZ4, Deleted in azoospermia 4, Deleted in azoospermia protein 4.</p> <p>Background: Spermatogenesis is the process by which male spermatogonia develop into mature spermatozoa. DAZ (deleted in azoospermia) are RNA-binding proteins that play an essential role in spermatogenesis. DAZ proteins influence the first stages of spermatogenesis and the maintenance of germ cell populations. DAZ proteins (DAZ1, DAZ2, DAZ3, DAZ4 and DAZ5) are encoded by separate genes on chromosome Y, each of which contain an AZFc domain in their coding region. DAZ proteins localize to the nucleus of spermatogonia, but relocate to the cytoplasm during meiosis. DAZ proteins contain an RRM (RNA recognition motif) domain that may regulate mRNA translation by binding to the 3'UTR. Deletions in the genes encoding DAZ proteins may cause azoospermia or oligospermia which can lead to male infertility. DAZ4 (deleted in azoospermia 4), also known as pDP1680 or pDP1681, is a 579 amino acid testis specific protein that contains nine DAZ-like domains and two RNA recognition motifs (RRM). DAZ4 exists as two alternatively spliced isoforms.</p>
-------------	--

Application Details

Application Notes:	<p>IF(IHC-P) 1:50-200</p> <p>IF(IHC-F) 1:50-200</p> <p>IF(ICC) 1:50-200</p>
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months