antibodies -online.com





anti-IQGAP2 antibody (AA 51-150) (HRP)



| O | : | |
|---------|--------|-------------------------------|
| Ove | r \/ I | $\Theta \backslash \Lambda /$ |
| \circ | 1 V I | C V V |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | IQGAP2 |
| Binding Specificity: | AA 51-150 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This IQGAP2 antibody is conjugated to HRP |
| Application: | ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human IQGAP2 |
|-----------------------|--|
| Isotype: | IgG |
| Predicted Reactivity: | Human,Mouse,Rat,Dog,Cow,Sheep,Horse,Rabbit |
| Purification: | Purified by Protein A. |

Target Details

| Target: | IQGAP2 |
|-------------------|---|
| Alternative Name: | IQGAP2 (IQGAP2 Products) |
| Background: | Synonyms: IQGA2_HUMAN, Iqgap2, Ras GTPase activating-like protein, Ras GTPase-activating- |

like protein IQGAP2.

Background: This gene encodes a member of the IQGAP family. The protein contains three IQ domains, one calponin homology domain, one Ras-GAP domain and one WW domain. It interacts with components of the cytoskeleton, with cell adhesion molecules, and with several signaling molecules to regulate cell morphology and motility. [provided by RefSeq, Jul 2008]

Application Details

| Application Notes: | IHC-P 1:200-400 IHC-F 1:100-500 |
|--------------------|------------------------------------|
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Handling Advice: | Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |