# antibodies -online.com







## anti-AFAP1L2 antibody (AA 751-818) (HRP)



( )	11/0	K\ /	iew	1
	$\cup$	ועוי	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	AFAP1L2
Binding Specificity:	AA 751-818
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AFAP1L2 antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human AFAP1L2
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat
Purification:	Purified by Protein A.

### Target Details

Target:	AFAP1L2
Alternative Name:	AFAP1L2 (AFAP1L2 Products)
Background:	Synonyms: KIAA1914, XB130, Actin filament-associated protein 1-like 2, AF1L2_HUMAN,

AFAP1-like protein 2, afap1l2.

Background: Actin filament associated protein (AFAP-110) interacts directly with actin filaments through its C-terminal actin-binding domain. AFAP-110 contains additional protein-binding domains as well, and serves as an adaptor protein. By linking signaling molecules to actin filaments, AFAP-110 provides a platform for the preparation of larger signaling complexes, activates Src kinases in response to cellular signals and also directly affects Actin organization as an Actin filament cross-linking protein. AFAP-1L2 (Actin filament-associated protein 1-like 2), also known as XB130, is a 818 amino acid cytoplasmic protein that contains two Pleckstrin homology (PH) domains, which are normally found in proteins involved in intracellular signaling. Like its relative AFAP110, AFAP-1L2 interacts with Src kinase and may play a role in Src-regulated transcription activation. AFAP-1L2 is expressed in thyroid and spleen and can also be detected at lower levels in lung, brain, pancreas and kidney. There are four isoforms of AFAP-1L2 that are produced as a result of alternative splicing events.

Pathways:

**EGFR Signaling Pathway** 

WB 1:300-5000

#### Application Details

**Application Notes:** 

Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months