# antibodies -online.com





# anti-FNDC3A antibody (AA 501-600) (HRP)



#### Overview

Quantity:	100 μL	
Target:	FNDC3A	
Binding Specificity:	AA 501-600	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FNDC3A antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human FNDC3A		
Isotype:	IgG		
Predicted Reactivity:	Human,Mouse,Rat		
Purification:	Purified by Protein A.		

## **Target Details**

Target:	FNDC3A
Alternative Name:	FNDC3A (FNDC3A Products)
Background:	Synonyms: Fibronectin type III domain containing protein 3a, FNDC3, HUGO, KIAA0970,

FN	D3A	HU	М	ΔΝ

Background: FNDC3A is a 1,134 amino acid protein that belongs to the FNDC3 family of proteins. FNDC3A contains an N-terminal proline-rich region, nine fibronectin type-III domains (none of which contain an RGD sequence) and a hydrophobic C-terminal transmembranous helix. Expressed in a wide variety of tissues, FNDC3A localizes to Golgi vesicles and to the developing acrosome of spermatids. FNDC3A is believed to function in glycosaminoglycan and collagen synthesis. In mice, a mutation in the gene encoding FNDC3A causes male sterility due to defective adhesion between Sertoli cells and spermatids in the seminiferous epithelium. This suggests that FNDC3A plays an important role in spermatogenesis, possibly mediating or maintaining the adhesion between Sertoli cells and spermatids.

Gene ID:

22862

### **Application Details**

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months