



[Go to Product page](#)

Datasheet for ABIN1711796
anti-FLVCR antibody (AA 451-550) (HRP)

Overview

Quantity:	100 µL
Target:	FLVCR (FLVCR1)
Binding Specificity:	AA 451-550
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FLVCR antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FLVCR
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Pig,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	FLVCR (FLVCR1)
Alternative Name:	FLVCR (FLVCR1 Products)

Target Details

Background: Synonyms: Feline leukemia virus subgroup C cellular receptor, Feline leukemia virus subgroup C receptor, Feline leukemia virus subgroup C receptor related protein 1, Feline leukemia virus subgroup C receptor-related protein 1, FLVC1_HUMAN, FLVCR 1, FLVCR protein, FLVCR1, hFLVCR.

Background: FLVCR is responsible for the exportation of cytoplasmic heme groups. It is believed that it may protect developing erythroid cells from heme toxicity. Expression of FLVCR in cells will cause susceptibility to FeLV-C (Feline leukemia virus subgroup C) in vitro. FLVCR is found in all hematopoietic tissues, including peripheral blood lymphocytes and fetal liver, and some expression is found in pancreas and kidney. It is down-regulated in haemopoietic progenitor cells undergoing differentiation and hemoglobinization.

Gene ID: 28982

Pathways: [Transition Metal Ion Homeostasis](#)

Application Details

Application Notes: WB 1:300-5000
IHC-P 1:200-400
IHC-F 1:100-500

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling Advice: Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Handling

Expiry Date: 12 months