antibodies -online.com





anti-FLRT1 antibody (AA 301-400) (HRP)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL	
Target:	FLRT1	
Binding Specificity:	AA 301-400	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FLRT1 antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FLRT1
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep,Pig,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	FLRT1	
Alternative Name:	FLRT1 (FLRT1 Products)	
Background:	nd: Synonyms: Fibronectin-like domain containing leucine rich transmembrane protein 1;	

Fibronectin-like domain-containing leucine-rich transmembrane protein 1; FLRT1;

FLRT1_HUMAN; Leucine rich repeat transmembrane protein FLRT1; Leucine-rich repeat transmembrane protein FLRT1.

Background: The leucine-rich (LRR) repeat is a 20-30 amino acid motif that forms a hydrophobic å/ horseshoe fold, allowing it to accommodate several leucine residues within a tightly packed core. All LRR repeats contain a variable segment and a highly conserved segment, the latter of which accounts for 11 or 12 residues of the entire LRR motif. FLRT1 (fibronectin leucine rich transmembrane protein 1) is a 646 amino acid single-pass type I membrane protein that contains one fibronectin type-III domain and ten LRR repeats. Expressed in kidney and brain, FLRT1 is thought to play a role in cell adhesion and receptor signaling. FLRT1 shares similarity with FLRT2 and FLRT3 and is subject to post-translational N-glycosylation. The gene encoding FLRT1 maps to human chromosome 11, which houses over 1,400 genes and comprises nearly 4% of the human genome.

Gene ID:

23769

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months