antibodies -online.com





anti-Cyclin M3 antibody (AA 251-350) (HRP)



| () | 1/0 | r\ / I | 014 | |
|-----|-----|--------|-----|---|
| () | ve | I V I | -v | V |
| | | | | |

| Quantity: | 100 μL | |
|----------------------|---|--|
| Target: | Cyclin M3 (CNNM3) | |
| Binding Specificity: | AA 251-350 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This Cyclin M3 antibody is conjugated to HRP | |
| Application: | ELISA, Western Blotting (WB), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) | |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human Cyclin M3 | |
|-----------------------|---|--|
| Isotype: | IgG | |
| Predicted Reactivity: | Human,Mouse,Rat,Dog | |
| Purification: | Purified by Protein A. | |

Target Details

| Target: | Cyclin M3 (CNNM3) |
|--|----------------------------|
| Alternative Name: | Cyclin M3 (CNNM3 Products) |
| Background: Synonyms: ACDP3, Ancient conserved domain containing protein 3, CNNM3, DKFZp434l | |

Storage Comment:

12 months

Expiry Date:

| Target Details | |
|---------------------|---|
| | FLJ20018, Metal transporter CNNM3, CNNM3_HUMAN. |
| | Background: Cyclin M3 is a 707 amino acid multi-pass membrane protein that shares weak |
| | sequence similarity with cyclin proteins, yet displays no cyclin-like function in vivo. Though |
| | ubiquitously expressed, Cyclin M3 is found at highest levels in kidney, brain, spleen and heart. |
| | Cyclin M3 is localized to the nucleus where it is likely a metal transporter. Cyclin M3 contains |
| | two CBS domains, which appear to bind ligands with an adenosyl group such as AMP, ATP and |
| | S-AdoMet and may play a regulatory role in sensitizing proteins to adenosyl-carrying ligands. |
| | There are three isoforms of Cyclin M3 that are produced as a result of alternative splicing |
| | events. |
| Gene ID: | 26505 |
| Application Details | |
| Application Notes: | WB 1:300-5000 |
| | IHC-P 1:200-400 |
| | IHC-F 1:100-500 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be |
| | handled by trained staff only. |
| Handling Advice: | Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish |
| | peroxidase. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple viole to avoid repeated freezo-thew evalue |

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.