

Datasheet for ABIN1712040 anti-DZIP3 antibody (AA 451-550) (HRP)



Overview

Overview		
Quantity:	100 μL	
Target:	DZIP3	
Binding Specificity:	AA 451-550	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DZIP3 antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)),	
	Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human DZIP3	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Horse,Rabbit	
Purification:	Purified by Protein A.	
Target Details		
Tanash		
Target:	DZIP3	

Target Details

Background:	Synonyms: DAZ-interacting protein 3, E3 ubiquitin-protein ligase DZIP3, hRUL138, KIAA0675,	
	RNA-binding ubiquitin ligase of 138 kDa, DZIP3_HUMAN.	
	Background: Ubiquitination is an important mechanism through which three classes of	
	enzymes act in concert to target short-lived or abnormal proteins for destruction. The three	
	classes of enzymes involved in ubiquitination are the ubiquitin-activating enzymes (E1s), the	
	ubiquitin-conjugating enzymes (E2s) and the ubiquitin-protein ligases (E3s). DZIP3 (DAZ	
	interacting protein 3, zinc finger), also known as UURF2 or hRUL138, is a 1,208 amino acid	
	protein that localizes to the cytoplasm and contains one RING-type zinc finger. Expressed in a	
	variety of tissues with highest expression in heart, skeletal muscle and kidney, DZIP3 functions	
	as an E3 ubiquitin-protein ligase that accepts ubiquitin from an E2 ubiquitin-conjugating	
	enzyme, thereby playing a role in signaling events throughout the cell. Multiple isoforms of	
	DZIP3 exist due to alternative splicing events.	
Gene ID:	9666	
Application Details		
Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

ш	Jand	lina
г	land	1111()
•	10110	9

Expiry Date:

12 months