

Datasheet for ABIN1712280

anti-PRPF40A antibody (AA 851-957) (HRP)[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	PRPF40A
Binding Specificity:	AA 851-957
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PRPF40A antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FNBP3
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	PRPF40A
Alternative Name:	FNBP3 (PRPF40A Products)

Target Details

Background:	Synonyms: Fas ligand associated factor 1, Fas ligand-associated factor 1, FBP 11, FBP11, FLAF 1, FLAF1, FNBP 3, Formin binding protein 11, Formin binding protein 3, Formin-binding protein 11, Formin-binding protein 3, HIP-10, HIP10, Huntingtin interacting protein A, Huntingtin interacting protein HYPA, Huntingtin yeast partner A, Huntingtin-interacting protein 10, Huntingtin-interacting protein A, HYPA, NY REN 6, NY REN 6 antigen, PR40A_HUMAN, Pre mRNA processing factor 40 homolog A, Pre-mRNA-processing factor 40 homolog A, PRP40 pre mRNA processing factor 40 homolog A S cerevisiae, PRP40 pre mRNA processing factor 40 homolog A yeast, PRP40 pre mRNA processing factor 40 homolog A, PRPF 40A, PRPF40A, Renal carcinoma antigen NY-REN-6. Background: Fas ligand associated factor 1, Fas ligand-associated factor 1, FBP 11, FBP11, FLAF 1, FLAF1, FNBP 3, Formin binding protein 11, Formin binding protein 3, Formin-binding protein 11, Formin-binding protein 3, HIP-10, HIP10, Huntingtin interacting protein A, Huntingtin interacting protein HYPA, Huntingtin yeast partner A, Huntingtin-interacting protein 10, Huntingtin-interacting protein A, HYPA, NY REN 6, NY REN 6 antigen, PR40A_HUMAN, Pre mRNA processing factor 40 homolog A, Pre-mRNA-processing factor 40 homolog A, PRP40 pre mRNA processing factor 40 homolog A (S cerevisiae), PRP40 pre mRNA processing factor 40 homolog A (yeast), PRP40 pre mRNA processing factor 40 homolog A, PRPF 40A, PRPF40A, Renal carcinoma antigen NY-REN-6.
-------------	---

Gene ID:	55660
----------	-------

Application Details

Application Notes:	WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500
--------------------	---

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

handled by trained staff only.

Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
------------------	--

Storage:	-20 °C
----------	--------

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
------------------	---

Expiry Date:	12 months
--------------	-----------