

Datasheet for ABIN1712304

anti-GALK2 antibody (AA 141-240) (HRP)



Overview

Quantity:	100 μL	
Target:	GALK2	
Binding Specificity:	AA 141-240	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GALK2 antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human GALK2/Galactokinase 2	
Isotype:	IgG	
Cross-Reactivity:	Rat	
Predicted Reactivity:	Human,Mouse,Dog,Cow,Sheep,Pig,Rabbit	
Purification:	Purified by Protein A.	
Target Details		
Target:	GALK2	
Alternative Name:	GALK2/Galactokinase 2 (GALK2 Products)	

Target Details

Background:	Synonyms: GalNAc Kinase, Galactokinase 2, GALK2, GK2, MGC1745, N-acetylgalactosamine		
	kinase, GALK2_HUMAN.		
	Background: GALK2 is important in the first step of the galactose metabolism pathway. GALK1,		
	which belongs to the GHMP kinase family of proteins, is a crucial enzyme for galactose		
	metabolism, specifically converting ?d-galactose to galactose 1-phosphate. Defects in the gene		
	encoding GALK1 can cause galactosemia II, an autosomal recessive disorder characterized by		
	congenital cataracts during infancy, often within the first two weeks of life. In the adult		
	population, galactosemia II can cause presenile cataracts that are secondary to accumulation		
	of galactitol in the lens of the eye. A second gene, GALK2, encodes an enzyme with greater		
	activity against GalNAc than galactose. GALK2 has been implicated in the salvage pathway for		
	the reutilization of free GalNAc derived from the degradation of complex carbohydrates.		
Gene ID:	2585		
Application Details			
Application Notes:	WB 1:300-5000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish		
	peroxidase.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

\vdash	land	lına
	iaria	шц

Expiry Date:

12 months