

Datasheet for ABIN1712349
anti-HOXB3 antibody (AA 201-300) (HRP)



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	HOXB3
Binding Specificity:	AA 201-300
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HOXB3 antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Hoxb3
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	HOXB3
Alternative Name:	Hoxb3 (HOXB3 Products)
Background:	Synonyms: Homeo box 2G, Homeo box B3, Homeobox B3, Homeobox protein Hox-2.7, Homeobox protein Hox-2G, Homeobox protein Hox-B3, Homeobox protein HoxB3, Hox 2.7, HOX

Target Details

2G, HOX2, Hox2.7, HOX2G, HOXB3, HXB3_HUMAN.

Background: HOX genes play a fundamental role in the development of the vertebrate central nervous system, heart, axial skeleton, limbs, gut, urogenital tract and external genitalia. There are multiple transcripts of the Hoxb3 gene, and the anterior boundaries of its expression vary at different stages of development. Hoxb3 plays a role in the proliferation and differentiation of both early myeloid and lymphoid developmental pathways. Hoxb3 also has overlapping function in mediating the migration of pharyngeal organ primordia and is expressed in very restricted domains in the future hindbrain. Hoxb6 controls the generation, proliferation and survival of erythroid progenitor cells. The Hoxb6 protein is expressed in the suprabasal layer of the early developing epidermis and throughout the upper layers of late fetal and adult human skin. Hoxb6 is cytoplasmically expressed throughout fetal epidermal development, but displays nuclear expression in normal adult skin. Hoxb6 protein also has nuclear expression in hyperproliferative skin conditions, but appears to be localized in the cytoplasm in basal and squamous cell carcinomas. Hoxb6 genes are also expressed in normal adult lung.

Gene ID: 3213

Application Details

Application Notes: WB 1:300-5000

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling Advice: Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Handling

Expiry Date: 12 months