

Datasheet for ABIN1712357

anti-L3MBTL3 antibody (AA 121-200) (HRP)



_				
()	ve.	rv/	101	Λ

Overview		
Quantity:	100 μL	
Target:	L3MBTL3	
Binding Specificity:	AA 121-200	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This L3MBTL3 antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human L3MBTL3	
Isotype:	IgG	
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Horse, Rabbit	
Purification:	Purified by Protein A.	
Target Details		
Target:	L3MBTL3	
Alternative Name:	L3MBTL3 (L3MBTL3 Products)	
Background:	Synonyms: Hl3mbt like protein, KlAA1798, l3mbt like 3 Drosophila, l3mbt like 3, L3mbt like 3	

protein, Lethal3malignant brain tumor like 3 protein, MBT1, LMBL3_HUMAN.			
Background: Polycomb group (PcG) proteins are important for maintaining the transcriptionally			
repressed state of target genes and are thought to function via chromatin modification. PcG			
proteins assemble into multimeric protein complexes, which are involved in maintaining the			
transcriptional repressive state of genes over successive cell generations. PcG proteins are			
also required for normal maturation of myeloid progenitor cells. A putative PcG protein,			
L3MBTL3 (lethal(3)malignant brain tumor-like protein 3), also known as MBT-1 or KIAA1798, is			
a 780 amino acid protein containing three MBT repeats and one SAM (sterile alpha motif)			
domain. Localized to the nucleus, L3MBTL3 interacts with RING1B, another PcG protein that			
may be involved in the specification of anterior-posterior axis and cell proliferation in early			
development. L3MBTL3 exists as two isoforms produced by alternative splicing events.			
84456			
WB 1:300-5000			
IHC-P 1:200-400			
IHC-F 1:100-500			
IIIO-1 1.100-300			
For Research Use only			

Handling

Restrictions:

Gene ID:

Application Details

Application Notes:

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

1	1	l:
-	ココロロ	urnen
1	Hand	III IU

Expiry Date:

12 months