

Datasheet for ABIN1712396

anti-SUMF1 antibody (AA 301-374) (HRP)



Overview

0.101.11011		
Quantity:	100 μL	
Target:	SUMF1	
Binding Specificity:	AA 301-374	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SUMF1 antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human SUMF1	
Isotype:	IgG	
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Horse, Rabbit	
Purification:	Purified by Protein A.	
Target Details		
Target:	SUMF1	
Alternative Name:	SUMF1 (SUMF1 Products)	
Background:	Synonyms: MGC150436, AAPA3037, C alpha formylglycine generating enzyme 1, C-alpha-	

formylglycine-generating enzyme 1, FGE, FGIy generating enzyme, MGC131853, Sulfatase modying factor 1 [Precursor], Sulfatase-modying factor 1, SUMF1, SUMF1_HUMAN, UNQ3037. Background: SUMF1 is a 374 amino acid alternatively spliced protein that localizes to the lumen of the endoplasmic reticulum and belongs to the sulfatase-modifying factor family. Expressed ubiquitously with highest expression in liver, kidney and pancreas, SUMF1 exists as either a monomer, a homodimer or a heterodimer (with SUMF2) and functions to oxidize sulfatase cysteine residues to an active FGIy residue, thereby playing an important role in sulfatase activity. Defects in the gene encoding SUMF1 are the cause of multiple sulfatase deficiency (MSD), a heterogeneous disorder characterized by metachromatic leukodystrophy, mucopolysaccharidosis, chondrodysplasia punctata, hydrocephalus, ichthyosis, neurologic deterioration and developmental delay.

Gene ID:

285362

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400 IHC-F 1:100-500

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

1	1	l:
-	ココロロ	urnen
1	Hand	III IU

Expiry Date:

12 months