

Datasheet for ABIN1712429

anti-NFKBIB antibody (pSer19) (HRP)



Overview

Overview		
Quantity:	100 μL	
Target:	NFKBIB	
Binding Specificity:	pSer19	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NFKBIB antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human NFKBIB around the phosphorylation site of Ser19	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	
Target Details		
Target:	NFKBIB	
Alternative Name:	IkB beta (NFKBIB Products)	

Target Details

•				
Background:	Synonyms: I kappa B beta, I-kappa-B-beta, IkappaBbeta, IKB beta, IkB-B, IkB-beta, IKBB,			
	IKBB_HUMAN, IkBbeta, NF kappa BIB, NF-kappa-B inhibitor beta, NF-kappa-BIB, Nfkbib, Thyroid			
	receptor interacting protein 9, Thyroid receptor-interacting protein 9, TR interacting protein 9,			
	TR-interacting protein 9, TRIP-9, TRIP9.			
	Background: The protein encoded by this gene belongs to the NF-kappa-B inhibitor family,			
	which inhibit NF-kappa-B by complexing with, and trapping it in the cytoplasm. Phosphorylation of serine residues on these proteins by kinases marks them for destruction via the ubiquitination pathway, thereby allowing activation of the NF-kappa-B, which translocates to the			
				nucleus to function as a transcription factor. Alternatively spliced transcript variants have been
				found for this gene.[provided by RefSeq, Jul 2011].
Pathways:	NF-kappaB Signaling, Activation of Innate immune Response, Maintenance of Protein Location,			
	Toll-Like Receptors Cascades			
Application Details				
Application Notes:	WB 1:300-5000			
	IHC-P 1:200-400			
	IHC-F 1:100-500			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and			
	50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be			
	handled by trained staff only.			
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish			
	peroxidase.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.			

ш	Jand	lina
г	land	1111()
•	10110	9

Expiry Date:

12 months