

Datasheet for ABIN1712481

anti-AGPS antibody (AA 31-130) (HRP)



\sim			
()\	/ e	rVI	iew

Quantity:	100 μL
Target:	AGPS
Binding Specificity:	AA 31-130
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AGPS antibody is conjugated to HRP
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	

Immunogen:	KLH conjugated synthetic peptide derived from human AGPS/Alkyl-DHAP synthase
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Cow,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	AGPS
Alternative Name:	AGPS/Alkyl-DHAP synthase (AGPS Products)

Target Details

Background:	Synonyms: AAG5, ADAP-S, ADAS, ADAS_HUMAN, ADHAPS, ADPS, Aging associated gene 5
	protein, Aging-associated gene 5 protein, AGPS, ALDHPSY, Alkyl-DHAP synthase,
	$Alkyldihydroxyace to nephosphate\ synthase,\ Alkyldihydroxyace to nephosphate\ synthase,$
	peroxisomal, Alkylglycerone phosphate synthase, Alkylglycerone-phosphate synthase,
	peroxisomal.
	Background: AGPS is a 658 amino acid enzyme that is required for glycerolipid metabolism and
	ether lipid biosynthesis. Localized to the inner aspect of the peroxisomal membrane, AGPS is
	likely part of a heterotrimeric complex that is also composed of GNPAT and a modified form of
	GNPAT. Containing one FAD-binding PCMH-type domain, AGPS utilizes FAD as a cofactor in the
	synthesis of alkyl-glycerone 3-phophate and a long-chain acid anion from 1-acteyl-glyerone 3-
	phosphate and a long-chain alcohol. Defects in the gene encoding AGPS results in rhizomelic chondrodysplasia punctata type 3, a disease characterized by vertebral disorders, severe
	mental retardation, cutaneous lesions, cataracts and rhizomelic shortening of the humerus and
	femur.
Gene ID:	8540
Pathways:	SARS-CoV-2 Protein Interactome
Application Details	
Application Notes:	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.

Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months