

Datasheet for ABIN1713401

anti-C22ORF15 antibody (AA 61-148)



Overview

Quantity:	100 μL
Target:	C220RF15
Binding Specificity:	AA 61-148
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C220RF15 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), ELISA, Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human C22orf15
Isotype:	IgG
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target:	C220RF15
Alternative Name:	C22orf15 (C22ORF15 Products)

Target Details

Background:	Synonyms: C22orf15, chromosome 22 open reading frame 15, CV015_HUMAN, N27C7 3,
	Protein N27C7-3, Uncharacterized protein C22orf15.
	Background: Chromosome 22 contains over 500 genes and about 49 million bases. Being the
	second smallest human chromosome, 22 contains a surprising variety of interesting genes.
	Phelan-McDermid syndrome, Neurofibromatosis type 2 and autism are associated with
	chromosome 22. A schizophrenia susceptibility locus has been identified on chromosome 22
	and studies show that 22q11 deletion symptoms include a high incidence of schizophrenia.
	Translocations between chromosomes 9 and 22 may lead to the formation of the Philadelphia
	Chromosome and the subsequent production of the novel fusion protein, BCR-Abl, a potent cell
	proliferation activator found in several types of leukemia. The C22orf15 gene product has been
	provisionally designated C22orf15 pending further characterization.
Gene ID:	150248
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months