# antibodies -online.com







# anti-FAM221A antibody (AA 201-298)



| $\sim$ |    |    |    |             |   |
|--------|----|----|----|-------------|---|
| ()     | VE | ۲۱ | /1 | $\triangle$ | Λ |

| Quantity:            | 100 μL  |
|----------------------|---|
| Target:              | FAM221A   |
| Binding Specificity: | AA 201-298  |
| Reactivity:          | Human   |
| Host:                | Rabbit  |
| Clonality:           | Polyclonal  |
| Conjugate:           | This FAM221A antibody is un-conjugated  |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), ELISA, Immunocytochemistry (ICC) |

### **Product Details**

| Immunogen:        | KLH conjugated synthetic peptide derived from human C7orf46 |  |
|-------------------|---|--|
| Isotype:          | IgG   |  |
| Cross-Reactivity: | Human   |  |
| Purification:     | Purified by Protein A.                                      |  |

# **Target Details**

| Target:           | FAM221A                    |
|-------------------|----------------------------|
| Alternative Name: | C7orf46 (FAM221A Products) |

## Target Details

| Bac | kar | ound: |
|-----|-----|-------|
|     |     |       |

Synonyms: C7orf46, F221A\_HUMAN, Chromosome 7 open reading frame 46, Uncharacterized protein C7orf46.

Background: Chromosome 7 has been linked to Osteogenesis imperfecta, Pendred syndrome, Lissencephaly, Citrullinemia and Shwachman-Diamond syndrome. The deletion of a portion of the q arm of chromosome 7 is associated with Williams-Beuren syndrome, a condition characterized by mild mental retardation, an unusual comfort and friendliness with strangers and an elfin appearance. Deletions of portions of the q arm of chromosome 7 are also seen in a number of myeloid disorders including cases of acute myelogenous leukemia and myelodysplasia. The C7orf46 gene product has been provisionally designated C7orf46 pending further characterization.

# **Application Details**

WB 1:300-5000

ELISA 1:500-1000

IHC-P 1:200-400

IHC-F 1:100-500

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

ICC 1:100-500

Restrictions:

For Research Use only

# Handling

| Format:            | Liquid   |
|--------------------|--|
| Concentration:     | 1 μg/μL  |
| Buffer:            | 0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.  |
| Preservative:      | ProClin  |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage:           | 4 °C,-20 °C  |
| Storage Comment:   | Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.                                    |
| Expiry Date:       | 12 months  |