antibodies .- online.com







anti-GEMIN6 antibody (AA 21-120)



Overview

Quantity:	100 μL
Target:	GEMIN6
Binding Specificity:	AA 21-120
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GEMIN6 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Gemin 6
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target: **GEMIN6**

Target Details

<u> </u>	
Alternative Name:	Gemin 6 (GEMIN6 Products)
Background:	Synonyms: FLJ23459, Gemin6, Gemin-6, Gem nuclear organelle associated protein 6, Gem-
	associated protein 6, GEMI6, GEMI6_HUMAN, Gemin-6, GEMIN6, SIP2.
	Background: Spinal muscular atrophy (SMA) is an autosomal recessive neurodegenerative
	disease characterized by loss of motor neurons in the spinal cord. SMA is caused by deletion o
	loss-of-function mutations in the SMN (Survival of Motor Neuron) gene. Gemin6, the protein
	product of human chromosome 2p22.2, associates directly with SMN and is a part of the SMN
	complex containing Gemin2, Gemin3, Gemin4 and Gemin5 as well as several spliceosomal
	snRNP proteins. The SMN complex plays an essential role in spliceosomal snRNP assembly in
	the cytoplasm and is required for pre-mRNA splicing of the nucleus. The SMN complex is found
	in both the cytoplasm and the nucleus. The nuclear form is concentrated in subnuclear bodies
	called gems (Gemini of the coiled bodies).
Gene ID:	79833
Pathways:	Ribonucleoprotein Complex Subunit Organization
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months