

[Go to Product page](#)

Datasheet for ABIN1713830 **anti-NPBWR1 antibody (AA 1-100)**

Overview

Quantity:	100 µL
Target:	NPBWR1
Binding Specificity:	AA 1-100
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NPBWR1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GPR7
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target:	NPBWR1
---------	--------

Target Details

Alternative Name:	GPR7 (NPBWR1 Products)
Background:	<p>Synonyms: GPCR GPR7, G protein coupled receptor 7, g protein coupled receptor gpr7, GPR7, MGC129755, Neuropeptides B and W receptor 1, Neuropeptides B/W receptor 1, Neuropeptides B/W receptor type 1, NPB and NPW receptor 1, NPBWR1, opioid somatostatin like receptor 7.</p> <p>Background: The two G protein-coupled receptors GPR7 and GPR8 display high similarity to each other. They both show high expression in brain and in particular in hypothalamus, and have been characterized as receptors for neuropeptide W (NPW) and neuropeptide B (NPB). In response to NPW and NPB, they play a role in the regulation of feeding behavior. GPR7 deficient mice develop an adult-onset obese phenotype that progressively worsens with age and is exacerbated when fed a high-fat diet. The genes encoding human GPR7 and GPR8 map to chromosomes 10q11.2-q21.1 and 10q13.3, respectively.</p>
Gene ID:	2831

Application Details

Application Notes:	WB 1:300-5000 ELISA 1:500-1000 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 ICC 1:100-500
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C, -20 °C

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months