antibodies -online.com





Datasheet for ABIN1713859

anti-LRRC6 antibody (AA 201-300)



Overview

Quantity:	100 μL
Target:	LRRC6
Binding Specificity:	AA 201-300
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LRRC6 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human LRRC6
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	LRRC6		
---------	-------	--	--

Target Details

Alternative Name:	LRRC6 (LRRC6 Products)	
Background:	Synonyms: Leucine rich repeat containing 6, Leucine rich repeat containing protein 6, Leucine	
	rich testis specic protein, Leucine-rich repeat-containing protein 6, Leucine-rich testis-specic	
	protein, Lrrc6, LRTP, Protein TILB homolog, Testis specic leucine rich repeat protein, Testis-	
	specic leucine-rich repeat protein, TILB_HUMAN, TSLRP.	
	Background: The leucine-rich repeat-containing protein 6 (LRRC6), also designated Leucine-rich	
	testis-specific protein (LRTP), is a 466 amino acid protein that contains 3 LRR repeats and plays	
	a role in spermatogenesis. The gene encoding LRRC6 maps to chromosome 8, which encodes	
	approximately 800 genes. Translocation of portions of chromosome 8 with amplifications of	
	the c-Myc gene are found in some leukemias and lymphomas, and typically associated with a	
	poor prognosis. Chromosome 8 is also associated with Trisomy 8, Pfeiffer syndrome,	
	congenital hypothyroidism and Waardenburg syndrome.	
Pathways:	M Phase	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	

Handling

Storage:	4 °C,-20 °C
Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	
Expiry Date:	12 months