

[Go to Product page](#)

Datasheet for ABIN1713861
anti-MAP4K5 antibody (AA 751-846)

Overview

Quantity:	100 µL
Target:	MAP4K5
Binding Specificity:	AA 751-846
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAP4K5 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MAP4K5
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Cow,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	MAP4K5
---------	--------

Target Details

Alternative Name:	MAP4K5 (MAP4K5 Products)
Background:	<p>Synonyms: EC 2.7.11.1, KHS, Kinase homologous to SPS1/STE20, MAPK/ERK kinase kinase 5, MEK kinase kinase 5, MEKKK 5, M4K5_HUMAN.</p> <p>Background: Several mammalian kinases have been identified with sequence similarity to the <i>Saccharomyces cerevisiae</i> serine/threonine kinase STE20. STE20 is involved in relaying signals from G-protein coupled receptors to cytosolic MAP kinase cascades, and it lies upstream of a MAP kinase kinase kinase. Mammalian STE20-like kinases include KHS, GLK, NIK, YSK1, HPK1, Krs-1, Krs-2 and GC kinase. KHS (for kinase homologous to SPS1/STE20) is a protein that is most closely related to GC kinase. The KHS kinase has been shown to activate a variety of substrates, including JNK, suggesting a role in stress response.</p>

Application Details

Application Notes:	WB 1:300-5000 ELISA 1:500-1000 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 ICC 1:100-500
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months