antibodies -online.com





anti-RHOG antibody (AA 61-150)



Overview

Quantity:	100 μL
Target:	RHOG
Binding Specificity:	AA 61-150
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RHOG antibody is un-conjugated
Application:	ELISA, Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human RHOG
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat
Purification:	Purified by Protein A.

Target Details

Target: RHOG

Target Details

Target Details		
Alternative Name:	RHOG (RHOG Products)	
Background:	Synonyms: ARHG, Rho-related GTP-binding protein RhoG, RHOG	
	Background: Required for the formation of membrane ruffles during macropinocytosis. Plays a	
	role in cell migration and is required for the formation of cup-like structures during trans-	
	endothelial migration of leukocytes. In case of Salmonella enterica infection, activated by SopB	
	and ARHGEF26/SGEF, which induces cytoskeleton rearrangements and promotes bacterial	
	entry.	
Gene ID:	391	
UniProt:	P84095	
Pathways:	RTK Signaling	
Application Details		
Application Notes:	ELISA 1:500-1000	
	FCM 1:20-100	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	

		1 .	
ш	land	linc	٩
	ıanıu	11111	J

Expiry Date:

12 months