# antibodies -online.com





# anti-Sorting Nexin 4 antibody (AA 351-450)



#### Overview

Quantity:	100 μL
Target:	Sorting Nexin 4 (SNX4)
Binding Specificity:	AA 351-450
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Sorting Nexin 4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human SNX4
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Horse,Rabbit
Purification:	Purified by Protein A.

## **Target Details**

Target:	Sorting Nexin 4 (SNX4)
Alternative Name:	SNX4 (SNX4 Products)

### **Target Details**

Target Details		
Background:	Synonyms: ATG24B, SNX 4, snx4, SNX4_HUMAN, Sorting nexin 4, Sorting nexin-4.  Background: SNX2 and SNX4 share a high degree of amino acid similarity with SNX1, as they al contain a characteristic phox homology (PX) domain (4). These proteins are all partially associated with cellular membranes, and they, likewise, associate with EGF, PDGF and insulin receptor tyrosine kinases (2). These nexins are widely expressed and yet have various tissue distribution patterns. Additionally, the sorting nexins can associate with each other and with a variety of other cellular proteins, suggesting that they exist as part of multisubunit complexes (1,5). The related protein, SNX3, comprises a distinct subgroup of nexins that share less sequence similarity outside of the PX domain and have dramatically different binding affinities for the tyrosine kinase receptors (2,6).	
Gene ID:	8723	
Application Details		
Application Notes:	WB 1:300-5000  ELISA 1:500-1000  IHC-P 1:200-400  IHC-F 1:100-500  IF(IHC-P) 1:50-200  IF(ICC) 1:50-200  ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

4 °C,-20 °C

Storage:

Storage Comment:

		1.	
$\vdash$	land	lın	
	ıaııu	1111	L

Expiry Date:

12 months