antibodies -online.com





anti-TAX1BP1 antibody (AA 241-340)



Overview

Quantity:	100 μL
Target:	TAX1BP1
Binding Specificity:	AA 241-340
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TAX1BP1 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TRAF6BP
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Horse
Purification:	Purified by Protein A.

Target Details

Target:	TAX1BP1		
---------	---------	--	--

Target Details

Alternative Name:	TAX1BP1 (TAX1BP1 Products)	
Background:	Synonyms: Human T cell leukemia virus type 1-binding protein, Liver regeneration-related	
	protein LRRG004, MGC94031, PR00105, T6BP, Tax1 human T cell leukemia virus type I binding	
	protein 1, Tax1 human T cell leukemia virus type I binding protein, Tax1 binding protein 1, Tax1	
	binding protein, Tax1-binding protein 1, Tax1-binding protein 1 homolog, TAX1BP1, TAX1BP1	
	protein, tax1bp1b, TAXB1_HUMAN, TRAF 6 binding protein, TRAF6 binding protein, TRAF6	
	binding protein T6BP, TRAF6-binding protein, TRAF6-interacting protein, TXBP 151, TXBP151	
	Background: Inhibits TNF-induced apoptosis by mediating the TNFAIP3 anti-apoptotic activity.	
	Degraded by caspase-3-like family proteins upon TNF-induced apoptosis. May also play a role	
	in the pro-inflammatory cytokine IL-1 signaling cascade.	
Gene ID:	8887	
UniProt:	Q86VP1	
Pathways:	TLR Signaling	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

Handling

Storage:	4 °C,-20 °C
Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	
Expiry Date:	12 months