

## Datasheet for ABIN1714262

# anti-ZFP36L1 antibody (pSer334)



### Overview

Quantity:	100 μL
Target:	ZFP36L1
Binding Specificity:	pSer334
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZFP36L1 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)
Product Details	
Immunogen:	KLH conjugated synthetic phosphopeptide derived from human ZFP36L1 around the phosphorylation site of Ser334
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	ZFP36L1
Alternative Name:	ZFP36L1 (ZFP36L1 Products)

#### Target Details

Racks	irai ind:
Dacku	round:

Synonyms: ZFP36L1 phospho S334, Berg36, BRF1, Butyrate response factor 1phospho S334, C3H1 type-like 1, cMG1, Early response factor Berg36, EGF response factor 1, EGF-response factor 1, ERF 1, ERF-1, ERF1, Protein TIS11B, RNF162B, TIS11B, TISB\_HUMAN, ZFP36L1, Zinc finger protein 36, Zinc finger protein 36 C3H type like 1, zinc finger protein C3H type 36 like 1. Background: TIS11B is a member of the tristetraprolin family. Tristetraprolin (TTP), or TIS11, is a zinc-binding protein encoded by the immediate-early response gene, Zfp-36. TIS11B, a relative of TTP, localizes to the nucleus and may function as a transcription factor involved in regulating the growth factor response. It is an evolutionarily conserved protein containing two C3H1-type zinc fingers and a repeating cys-his motif. TIS11B is an mRNA binding protein and is known to interact with the 3?-untranslated region of VEGF mRNA, thereby decreasing its stability. This suggests that TIS11B is a potential target in antiangiogenic therapy. In addition, TIS11B may also be an important regulator of myogenesis, as its expression is upregulated during murine myoblast differentiation.

Gene ID:

677

#### **Application Details**

Application Notes:	

ELISA 1:500-1000

IHC-P 1:200-400

IHC-F 1:100-500

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

ICC 1:100-500

Restrictions:

For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

# Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months