antibodies -online.com





anti-GBGT1 antibody (AA 251-347)



Go ·	to I	Prod	uct	page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	GBGT1
Binding Specificity:	AA 251-347
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GBGT1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GBGT1
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep,Pig,Horse,Chicken
Purification:	Purified by Protein A.
Torget Details	

Target Details

Target:	GBGT1
Alternative Name:	GBGT1 (GBGT1 Products)

Target Details

Bac	kar	oun	d:

Synonyms: 3-N-acetylgalactosaminyltransferase 1, A3GALNT, EC=2.4.1.-, Forssman glycolipid synthase-like protein, Forssman glycolipid synthetase FS, Forssman synthetase, FS, GBGT1, GBGT1_HUMAN, Globoside alpha-1, globoside alpha-1,3-N-acetylgalactosaminyltransferase 1, glycolipid synthase-like protein, RP11-326L24.6, UNQ2513, UNQ2513/PR06002.

Background: GBGT1 is a 347 amino acid single-pass type II membrane protein that belongs to the glycosyltransferase 6 family. Localizing to the golgi apparatus membrane, GBGT1 is widely expressed, with high levels found in placenta, ovary and peripheral blood leukocyte, and lower levels expressed in liver, thymus and testis. GBGT1 utilizes manganese as a cofactor, and assists in the addition of N-acetylgalactosamine (GalNAc) in alpha-1,3-linkage to various substrates, resulting in the formation of glycolipids. Glycolipids are present in most eukaryotic cells and may assist in the adherence of certain pathogens. Existing as two alternatively spliced isoforms, the gene encoding GBGT1 maps to human chromosome 9q34.2 and mouse chromosome 2 A3.

Gene ID:

26301

Application Details

Application	Notes:
7 (ppiloation	NOTES.

WB 1:300-5000

ELISA 1:500-1000

IHC-P 1:200-400

IHC-F 1:100-500

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

ICC 1:100-500

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months