antibodies - online.com







anti-GEMIN4 antibody (AA 251-350)



()	ve	K\ /		A .
	\cup	1 V/	-	V۷

Quantity:	100 μL
Target:	GEMIN4
Binding Specificity:	AA 251-350
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GEMIN4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Gemin 4
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	GEMIN4	
rarget.	GLIVIIIV4	

Target Details

Alternative Name:	Gemin 4 (GEMIN4 Products)
Background:	Synonyms: Gemin4, Gemin-4, Component of gems 4, Gem associated protein 4, HC56, HHRF 1,
	GEMI4_HUMAN.
	Background: Gemin4 is a component of the SMN core complex which, while in the cytoplasm,
	plays an essential role in ribonucleoprotein (snRNP) assembly, including the biogenesis,
	delivery and recycling of snRNPs to the spliceosome. In the nucleus, where SMN is required for
	pre-mRNA splicing, Gemin4 concentrates next to coiled bodies in subnuclear structures called
	gems, that are highly enriched in splicosomal snRNPs, and in the nucleolus. Deletion or loss-of-
	function mutations in the SMN lead to the neurodegenerative disease spinal muscular atrophy
	(SMA). The human Gemin4 maps to chromosome 17p13.
Gene ID:	50628
Pathways:	Ribonucleoprotein Complex Subunit Organization
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months