antibodies .- online.com







anti-C7orf30 antibody (AA 101-200)



Overview

Quantity:	100 μL
Target:	C7orf30
Binding Specificity:	AA 101-200
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C7orf30 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human C7orf30
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	C7orf30		
---------	---------	--	--

Target Details

raiget Details		
Alternative Name:	C7orf30 (C7orf30 Products)	
Background:	Synonyms: C7orf30, MASU1_HUMAN, Chromosome 7 open reading frame 30, Uncharacterized	
	protein C7orf30.	
	Background: Chromosome 7 has been linked to Osteogenesis imperfecta, Pendred syndrome,	
	Lissencephaly, Citrullinemia and Shwachman-Diamond syndrome. The deletion of a portion of	
	the q arm of chromosome 7 is associated with Williams-Beuren syndrome, a condition	
	characterized by mild mental retardation, an unusual comfort and friendliness with strangers	
	and an elfin appearance. Deletions of portions of the q arm of chromosome 7 are also seen in	
	number of myeloid disorders including cases of acute myelogenous leukemia and	
	myelodysplasia. The C7orf30 gene product has been provisionally designated C7orf30 pending	
	further characterization.	
Gene ID:	115416	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	

handled by trained staff only.

4 °C,-20 °C

Storage:

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months