antibodies -online.com





Datasheet for ABIN1714541

anti-GPR21 antibody (AA 1-100)



Overview

Quantity:	100 μL
Target:	GPR21
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GPR21 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human G protein coupled receptor 21
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Cow,Pig,Horse,Monkey
Purification:	Purified by Protein A.

Target Details

Target: GPR21

Target Details

Target Details		
Alternative Name:	GPR21 (GPR21 Products)	
Background:	Synonyms: G protein coupled receptor 21, G protein coupled receptor gpr21, Gpr 21, Gpr21,	
	Probable G protein coupled receptor 21, GPCR GPR21.	
	Background: G protein-coupled receptors (GPRs), also known as seven transmembrane	
	receptors, heptahelical receptors or 7TM receptors, comprise a superfamily of proteins that	
	play a role in many different stimulus-response pathways. G protein coupled receptors translat	
	extracellular signals into intracellular signals (G protein activation) and they respond to a variety	
	of signaling molecules, such as hormones and neurotransmitters. GPR21 is a 349 amino acid	
	multi-pass membrane protein that functions as an orphan receptor and belongs to the GPR1	
	family. The gene encoding GPR21 maps to human chromosome 9, which houses over 900	
	genes and comprises nearly 4 % of the human genome. Hereditary hemorrhagic telangiectasia	
	which is characterized by harmful vascular defects, and Familial dysautonomia, are both	
	associated with chromosome 9.	
Gene ID:	2844	
Pathways:	Carbohydrate Homeostasis	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	

Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months