# antibodies -online.com





Go to Product page

# Datasheet for ABIN1714545

# anti-GCN1L1 antibody (AA 751-850)

#### Overview

Quantity:	100 μL
Target:	GCN1L1
Binding Specificity:	AA 751-850
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GCN1L1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Gcn1I1
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Horse
Purification:	Purified by Protein A.

## **Target Details**

Target:	GCN1L1
Alternative Name:	Gcn1l1 (GCN1L1 Products)

#### **Target Details**

#### Background:

Synonyms: GCN1, GCN1 general control of amino acid synthesis yeast homolog like, GCN1 general control of amino acid synthesis 1 yeast like 1, GCN1 general control of amino acid synthesis 1 like 1, GCN1 general control of amino acid synthesis 1 like 1 yeast, GCN1 like protein 1, GCN1L, HsGCN1, GCN1L\_HUMAN.

Background: GCN1L1 is a 2,671 amino acid protein that is ubiquitously expressed and belongs to the GCN1 family. Functioning as a translation activator, GCN1L1 interacts with IMPACT to regulproteinate GCN2 kinase activity. GCN1L1 contains 24 HEAT repeats and is encoded by a gene that maps to human chromosome 12q24.23. Chromosome 12 encodes over 1,100 genes and comprises approximately 4.5 % of the human genome. Chromosome 12 is associated with a variety of diseases and afflictions, including hypochondrogenesis, achondrogenesis, Kniest dysplasia, Noonan syndrome and trisomy 12p, which causes facial developmental defects and seizure disorders.

Gene ID:

10985

### **Application Details**

Application Notes:

WB 1:300-5000

ELISA 1:500-1000

IHC-P 1:200-400

IHC-F 1:100-500

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

ICC 1:100-500

Restrictions:

For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

## Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months