

[Go to Product page](#)

Datasheet for ABIN1714572 **anti-SIX2 antibody (AA 101-200)**

Overview

Quantity:	100 µL
Target:	SIX2
Binding Specificity:	AA 101-200
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SIX2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human SIX2
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Horse
Purification:	Purified by Protein A.

Target Details

Target:	SIX2
Alternative Name:	SIX2 (SIX2 Products)

Target Details

Background:	<p>Synonyms: Homeobox protein SIX2, OTTHUMP00000201649, Sine oculis homeobox Drosophila homolog 2, Sine oculis homeobox homolog 2, Sine oculis homeobox homolog 2 Drosophila, SIX homeobox 2, Six2, SIX2_HUMAN.</p> <p>Background: The Six proteins (sine oculis) are a family of homeodomain transcription factors that share a conserved DNA binding domain. Six2, Six4 (AREC3) and Six5 bind to the same DNA sequence, indicating that they may regulate the same target genes. Six1 and Six4 are both capable of transactivating MEF3 site containing reporter genes, such as myogenin. It has been demonstrated that alterations to homeobox-containing genes may result in cancer. Six1 expression has been shown to be absent or low in normal adult tissues, although it is expressed in several tumor types, including breast carcinoma. Six1 overexpression has been shown to abrogate the G2 cell cycle checkpoint. Six2 is highly expressed in fetal tissues but expression is limited in adult tissues.</p>
Gene ID:	10736
Pathways:	Protein targeting to Nucleus

Application Details

Application Notes:	<p>WB 1:300-5000</p> <p>ELISA 1:500-1000</p> <p>IHC-P 1:200-400</p> <p>IHC-F 1:100-500</p> <p>IF(IHC-P) 1:50-200</p> <p>IF(IHC-F) 1:50-200</p> <p>IF(ICC) 1:50-200</p> <p>ICC 1:100-500</p>
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months